



Growing Together For Success

ASHGROVE SCHOOL

48 Seddon Street
Rangiora 7400
Phone: 03 313 8552

Email: admin@ashgrove.school.nz
Website: www.ashgrove.school.nz



Dear Parents/Caregivers

Head lice have appeared in one of our Tipu learning spaces.

On the next page is information regarding head lice.

As a precaution, we recommend that you check your child to see if they have contracted the condition.

The Public Health Nurse has asked us to stress the following three steps to follow:

1. Don't wait for an outbreak – maintain weekly checks.
2. Good hair brushing is important
3. Wet combing if head lice are detected.

Kind regards

Christine Chadwick
Principal

What are head lice?

Head lice are small flat insects, about 2–3 mm long which can live on the scalp and lay their eggs (nits) on strands of hair.

Anyone can get head lice – it doesn't matter how clean or dirty a person's hair is. Head lice spread by crawling from one person's hair to another's – usually between people who are in close contact, such as family or school classmates.

Head lice:

- cannot jump, fly or swim
- do not carry disease
- stay on the scalp after swimming or bathing/showering.

What do head lice look like?



Head lice can be white, brown or dark grey. They are usually in the hair at the back of the neck or behind the ears. Female head lice lay about 7–10 eggs each night. The eggs are small and hard (like a grain of salt) and are normally pale grey in colour. Eggs are laid close to the scalp and are normally pale grey in colour. Eggs are laid close to the scalp and are firmly glued to strands of hair. After hatching, the empty egg cases are white. Eggs hatch in 9 days, and head lice live for 40 days.

Checking for head lice

In school-age children check for head lice often, at least once a week. Scratching, scratch marks or a rash can be a sign that your child has head lice. But not all children complain of itchy heads. Check the scalp for head lice insects and eggs, especially:

- around the hairline at the back of the neck
- behind the ears
- on the crown (top of the head)

You can also use the wet combing method to check for head lice – see below for how to do this.

If you find head lice or eggs, you will need to treat them.

Chemical treatments

- Chemical treatments use a special shampoo or lotion that kills the head lice and the eggs. Follow the instructions that are supplied with the chemical treatments.
- Always do a second treatment 7–10 days after the first. This is to kill any head lice that may have hatched after the first treatment.

Wet combing

- Wet the hair and scalp with conditioner (this makes it easier to see the head lice).
- Use a fine-toothed comb to check for head lice and eggs and to comb them out. It's best to use a fine metal comb, or a special head lice comb you can get from a pharmacy.
- Comb the full length of the hair, from the scalp to the ends. Work your way around the head so that you have combed all of the hair.
- If you see any head lice or eggs, clean the comb by wiping it on a tissue or a paper towel, or rinse the comb before you use it again.
- After you have combed all of the hair, rinse out the conditioner.
- Repeat the wet combing each week until you don't find any more head lice or eggs.

Stop head lice from spreading

It's not possible to completely prevent head lice because they're very common. But there are things you can do to stop head lice from spreading.

- Brush hair every day. This may help kill or injure head lice and stop them from laying eggs.
- Don't share brushes, combs, headbands, ribbons, hairclips, helmets or hats – anything that touches someone's head.
- Having short hair – or wearing hair in a ponytail if it's long – makes it less likely you or your child will catch head lice.
- Children should hang their clothes on their own hook at school.
- Children should keep their clothes apart from other children's in swimming or sport changing rooms.
- If you do get head lice in your family, everyone that has them should be treated at the same time.
- Let the school and any other close friends know that your child has been treated for head lice.